

13 February 2003, EU published Directive 2002/95/EC of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

1 July 2011, THE EUROPEAN PARLIAMENT AND THE COUNCIL OF THE EUROPEAN UNION published DIRECTIVE 2011/65/EU (RoHS 2.0) on Official Journal of the European Union, replacing Directive 2002/95/EC.

There are totally 45 entries in RoHS 2.0 Annex III and 48 entries in Annex IV.

The latest revision was on September 22, 2022. The European Union issued two revised directives on the exemption of RoHS Annex IV, namely (EU) 2022/1631 and (EU) 2022/1632.

ANNEX III

The following is the latest RoHS 2.0 exemption list, the latest updates are highlight in yellow.

Scope and dates of applicabili Exemption ty (EU)2022/276 amended directive Mercury in single capped (compact) fluorescent lamps not 1 exceeding (per burner): 1(a) For general lighting purposes < 30 W: 2.5 mg Expires on 24 February 2023 1(b) For general lighting purposes ≥ 30 W and < 50 W: 3.5 mg Expires on 24 February 2023 1(c) For general lighting purposes ≥ 50 W and < 150 W: 5 mg Expires on 24 February 2023 1(d) For general lighting purposes \geq 150 W: 15 mg Expires on 24 February 2023

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China





WALT

UNGCAI TESTING

1(e)	For general lighting purposes with circular or square structural shape and tube diameter \leq 17 mm: 5 mg	Expires on 24 February 2023
(EU)2022/281	amended directive	
1(f)-I	For lamps designed to emit mainly light in the ultraviolet spectrum: 5 mg	Expires on 24 February 2027
1(f)-II	For special purposes: 5 mg	Expires on 24 February 2025
(EU)2022/277	amended directive	
1(g)	For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3.5 mg	Expires on 24 August 2023
(EU)2022/284	amended directive	
2(a)	Mercury in double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp):	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 4 mg	Expires on 24 February 2023
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter \ge 9 mm and \le 17 mm (e.g. T5): 3 mg	Expires on 24 August 2023
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and \leq 28 mm (e.g. T8): 3.5 mg	Expires on 24 August 2023
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter > 28 mm (e.g. T12): 3.5 mg	Expires on 24 February 2023
2(a)(5)	Tri-band phosphor with long lifetime (≥ 25 000 h): 5 mg	Expires on 24 February 2023
2(b)	Mercury in other fluorescent lamps not exceeding (per lamp):	
2(b)(1)	Linear halophosphate lamps with tube > 28 mm (e.g. T10 and T12): 10 mg	Expires on 13 April 2012
2(b)(2)	Non-linear halophosphate lamps (all diameters): 15 mg	Expires on 13 April 2016
(EU)2022/282 amended directive		
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e.g. T9): 15 mg	Expires on 24 February 2023; 10 mg may be used per lamp from 25 February 2023 until 24 February 2025
<u>(EU)2022/287</u>	amended directive	

Contact us:

delifition and the second

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

Light tradition has

INGCAL TESTING

WALT

2(b)(4)-I	Lamps for other general lighting and special purposes (e.g. induction lamps): 15 mg	Expires on 24 February 2025
2(b)(4)-II	Lamps emitting mainly light in the ultraviolet spectrum: 15 mg	Expires on 24 February 2027
2(b)(4)-III	Emergency lamps: 15 mg	Expires on 24 February 2027
(EU)2022/274	amended directive	
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes used in EEE placed on the market before 24 February 2022 not exceeding (per lamp):	
3(a)	Short length (≤ 500 mm): 3.5 mg	Expires on 24 February 2025
3(b)	Medium length (> 500 mm and \leq 1 500 mm): 5 mg	Expires on 24 February 2025
3(c)	Long length (> 1 500 mm): 13 mg	Expires on 24 February 2025
(EU)2022/280	amended directive	
4(a)	Mercury in other low pressure discharge lamps (per lamp): 15 mg	Expires on 24 February 2023
4(a)-I	Mercury in low pressure non-phosphor coated discharge lamps, where the application requires the main range of the lamp-spectral output to be in the ultraviolet spectrum: up to 15 mg mercury may be used per lamp	Expires on 24 February 2027
(EU)2022/283	amended directive	
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 80: P \leq 105 W: 16 mg may be used per burner	Expires on 24 February 2027
4(b)- I	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60: P \leq 155 W: 30 mg may be used per burner	Expires on 24 February 2023
4(b)-Ⅲ	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60: 155 W $< P \le 405$ W: 40 mg may be used per burner	Expires on 24 February 2023
4(b)-Ⅲ	Mercury in High Pressure Sodium (vapour) lamps for	Expires on 24 February 2023

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

The and to a the addition of a standard on a standard of the second state of the secon

TESTING



WALT

UNGCAI

	general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60: P > 405 W: 40 mg may be used per burner	
(EU)2022/27	5 amended directive	
4(c)	Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner):	
4(c)- I	P ≤ 155 W: 20mg	Expires on 24 February 2027
4(c)-Ш	155 W < P ≤ 405 W: 25mg	Expires on 24 February 2027
4(c)-Ⅲ	P > 405 W: 25mg	Expires on 24 February 2027
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV)	Expires on 13 April 2015
EU)2022/27	8 amended directive	
4(e)	Mercury in metal halide lamps (MH)	Expires on 24 February 2027
(EU)2022/27	9 amended directive	
4(f)-I	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex	Expires on 24 February 2025
4(f)-II	Mercury in high pressure mercury vapour lamps used in projectors where an output \geq 2000 lumen ANSI is required	Expires on 24 February 2027
4(f)-III	Mercury in high pressure sodium vapour lamps used for horticulture lighting	Expires on 24 February 2027
4(f)-IV	Mercury in lamps emitting light in the ultraviolet spectrum	Expires on 24 February 2027
▼M26 M	ay 20, 2014,EU issued amendment directive 2014/76/EU	
4(g)	 Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-artwork, where the mercury content shall be limited as follows: (a) 20 mg per electrode pair + 0,3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 °C; (b) 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications. 	Expires on 31 December 2018
▼B		
5(a)	Lead in glass of cathode ray tubes	

Contact us:

dilline of the second

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

Light tradition has

INGCAL TESTING

WALT

5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	
▼M41 May	18, 2018,EU issued amendment directive (EU) 2018/739	
6(a)	Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight	 Expires on: 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical de vices; 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight	Expires on 21 July 2021 for categories 1-7 and 10.
▼M42 May	18, 2018,EU issued amendment directive (EU) 2018/740	
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	 Expires on: 21 July 2021 for categorie s 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments, 21 July 2023 for category 8 i n vitro diagnostic medical devic es, 21 July 2024 for category 9 industrial monitoring and contr ol instruments, and for categor y 11.
6(b)-I	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing	Expires on 21 July 2021 for cat egories 1-7 and 10.

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

And and teacher of the stadium of a different to a department of the second state of t



WALT

UNGCAI TESTING

	aluminium scrap recycling	
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight	Expires on 18 May 2021 for ca tegories 1-7 and 10.
▼M43 May	/ 18, 2018,EU issued amendment directive (EU) 2018/741	
6(c)	Copper alloy containing up to 4 % lead by weight	 Expires on: 21 July 2021 for categories 1-7 and 10, 21 July 2021 for categories 8 and 9 other than in vitro diag nostic medical devices and ind ustrial monitoring and control i nstruments, 21 July 2023 for category 8 in vitro diagnostic medical de vices, 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
▼M44 May	18, 2018,EU issued amendment directive (EU) 2018/742	
7(a)	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)	Applies to categories 1-7 and 10 (except applications covered by point 24 of this Annex) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.

Contact us:

Light tradition has

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

The load to a shall be a faith a fact in the advect in the strend to a shall be a fact in the strend to a shall be a fact in the strend to a shall be shall be a shal

TESTING



MALT

HONGCAI

▼B		
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	
▼M38 May	v 18, 2018,EU issued amendment directive (EU) 2018/736	
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Applies to categories 1-7 and 10 (except applications covered under point 34) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.
▼M45 Feb	ruary 5, 2019,EU issued amendment directive (EU) 2019/169	<u></u>
7(c)-П	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	Does not apply to applications covered by point 7(c)-I and 7 (c)-IV of this Annex. Expires on: — 21 July 2021 for categories 1-7 and 10; — 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; — 21 July 2023 for category 8 in vitro diagnostic medical devices;

Contact us:

different to a base

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

And and teacher of the stadium of a different to a department of the second state of t



WALT

h Could transfer a bran

IONGCAI TESTING

		 — 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
▼B		
7(c)-Ⅲ	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
▼M46 Feb	ruary 5, 2019,EU issued amendment directive (EU) 2019/170	<u>)</u>
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors which are part of integrated circuits or discrete semiconductors	 Expires on: 21 July 2021 for categories 1-7 and 10; 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical de vices; 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
▼B		.,
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012
▼M47 February 5, 2019,EU issued amendment directive (EU) 2019/171		
8(b)	Cadmium and its compounds in electrical contacts	Applies to categories 8, 9 and 11 and expires on: — 21 July 2021 for categories 8 and 9 other than in vitro diag nostic medical devices and ind

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China



WALT

INGCAL TESTING

		ustrial monitoring and control i nstruments; — 21 July 2023 for category 8 in vitro diagnostic medical de vices; — 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
8(b)-I	Cadmium and its compounds in electrical contacts used in: — circuit breakers, — thermal sensing controls, — thermal motor protectors (excluding hermetic thermal motor protectors), — AC switches rated at: • 6 A and more at 250 V AC and more, or • 12 A and more at 125 V AC and more, — DC switches rated at 20 A and more at 18 V DC an d more, and — switches for use at voltage supply frequency ≥ 200 Hz.	Applies to categories 1 to 7 and 10 and expires on 21 July 2021.
▼M58 Mar	ch 5, 2020,EU issued amendment directive (EU) 2020/361	
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	 Applies to categories 8, 9 and 11 and expires on: 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments, 21 July 2023 for category 8 in vitro diagnostic medical de vices, 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
9(a)-I	Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel	Applies to categories 1-7 and 10 and expires on 5 March 2021.

Contact us:

Light tradition has

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

And a stand a s

TESTING



WALT

DNGCAI

	cooling systems of absorption refrigerators (including minibars) designed to operate fully or partly with electrical heater, having an average utilised power input < 75 W at constant running conditions	
9(a)-II	 Up to 0,75 % hexavalent chromium by weight, used as an anticorrosion agent in the cooling solution of carbon steel cooling systems of absorption refrigerators: designed to operate fully or partly with electrical he ater, having an average utilised power input ≥ 75 W at constant running conditions, designed to fully operate with non-electrical heater. 	Applies to categories 1-7 and 10 and expires on 21 July 2021.
9(b)	Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	 Applies to categories 8, 9 and 11; expires on: 21 July 2023 for category 8 in vitro diagnostic medical devices, 21 July 2024 for category 9 industrial monitoring and control instruments and for category 11, 21 July 2021 for other subcategories of categories 8 and 9.
9(b)-(I)	Lead in bearing shells and bushes for refrigerant-containing hermetic scroll compressors with a stated electrical power input equal or below 9 kW for heating, ventilation, air conditioning and refrigeration (HVACR) applications	Applies to category 1; expires on 21 July 2019.
▼B		
11(a)	Lead used in C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010
11(b)	Lead used in other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
12	Lead as a coating material for the thermal conduction module C-ring	May be used in spare parts for EEE placed on the market before 24 September 2010

Contact us:

defilition and the second

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China



And a standard for a faile of a distant of a children of a statistic ostatistic of a statistic ostatistic of a statistic ostatistic of a statistic of a statistic of a statistic of a statistic ostatistic ostatistic ostatistic ostati

UNGCAI

TESTING



▼M35 Jun	e 16, 2017,EU issued amendment directive (EU) 2017/1011	
13(a)	Lead in white glasses used for optical applications	Applies to all categories; expire s on: — 21 July 2023 for category 8 in vitro diagnostic medical de vices; — 21 July 2024 for category 9 industrial monitoring and cont rol instruments and for categor y 11; — 21 July 2021 for all other c ategories and subcategories
▼M33 June	e 16, 2017,EU issued amendment directive (EU) 2017/1009	
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards	 Applies to categories 8, 9 and 11; expires on: — 21 July 2023 for category 8 in vitro diagnostic medical de vices; — 21 July 2024 for category 9 industrial monitoring and cont rol instruments and for categor y 11; — 21 July 2021 for other subc ategories of categories 8 and 9
13(b)-(I)	Lead in ion coloured optical filter glass types	
13(b)-(II)	Cadmium in striking optical filter glass types; excluding applications falling under point 39 of this Annex	Applies to categories 1 to 7 and 10; expires on 21 July 2021 for categories 1 to 7 and 10
13(b)-(III)	Cadmium and lead in glazes used for reflectance standards	
▼B		
14	Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Expired on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011
▼M48 February 5, 2019,EU issued amendment directive (EU) 2019/172		
15	Lead in solders to complete a viable electrical connection	Applies to categories 8, 9 and

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

all Could transfer a laste

and the strate of the statistic of a statistic of the sta



MALT

UNGCAI TESTING

	between semiconductor die and carrier within integrated circuit flip chip packages	 11 and expires on: 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical de vices; 21 July 2024 for category 9 industrial monitoring and cont
		rol instruments, and for catego ry 11.
15(a)	Lead in solders to complete a viable electrical connection between the semiconductor die and carrier within integrated circuit flip chip packages where at least one of the following criteria applies: — a semiconductor technology node of 90 nm or larger; — a single die of 300 mm2 or larger in any semiconductor technology node; — stacked die packages with die of 300 mm2 or larger, or silicon interposers of 300 mm2 or larger.	Applies to categories 1 to 7 and 10 and expires on 21 July 2021.
▼B		
16	Lead in linear incandescent lamps with silicate coated tubes	Expires on 1 September 2013
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications	
18(a)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as speciality lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr,Ba)2MgSi2O7:Pb)	Expired on 1 January 2011
▼M53 Feb	ruary 5, 2019,EU issued amendment directive (EU) 2019/177	-
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi2O5:Pb)	Expires on: — 21 July 2021 for categories 1-7 and 10; — 21 July 2021 for categories

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

1 Collinson Data barro

And a stand the stand of the st



MALT

IONGCAI TESTING

		 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; — 21 July 2023 for category 8 in vitro diagnostic medical de vices; — 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
18(b)-I	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi2O5:Pb) when used in medical phototherapy equipment	Applies to categories 5 and 8, excluding applications covered by entry 34 of Annex IV, and expires on 21 July 2021.
▼B		
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL)	Expires on 1 June 2011
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs)	Expires on 1 June 2011
▼M49 Feb	ruary 5, 2019,EU issued amendment directive (EU) 2019/173	
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	 Applies to categories 8, 9 and 11 and expires on: 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical de vices; 21 July 2024 for category 9 industrial monitoring and cont

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

And a strathe attack in a fact in the stack in the star and the star and the star in the star and the star in the

TESTING



MALT

IONGCAI

		rol instruments, and for catego
		ry 11.
21(a)	Cadmium when used in colour printed glass to provide filtering functions, used as a component in lighting applications installed in displays and control panels of EEE	Applies to categories 1 to 7 and 10 except applications covered by entry 21(b) or entry 39 and expires on 21 July 2021.
21(b)	Cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	Applies to categories 1 to 7 and 10 except applications covered by entry 21(a) or 39 and expires on 21 July 2021.
21(c)	Lead in printing inks for the application of enamels on other than borosilicate glasses	Applies to categories 1 to 7 and 10 and expires on 21 July 2021.
▼B		
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0,65 mm and less	May be used in spare parts for EEE placed on the market before 24 September 2010
▼M39 May	/ 18, 2018,EU issued amendment directive (EU) 2018/737	
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	 Expires on: 21 July 2021 for categories 1-7 and 10, 21 July 2021 for categories 8 and 9 other than in vitro diag nostic medical devices and ind ustrial monitoring and control i nstruments, 21 July 2023 for category 8 in vitro diagnostic medical de vices, 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
▼B		
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring	

Contact us:

defilition and the second

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

The and can a second a statistic of the and can be a statistic of the second statistics of the second second



MALT

IONGCAI

26	Lead oxide in the glass envelope of black light blue lamps	Expires on 1 June 2011	
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers	Expired on 24 September 2010	
▼M50 Feb	oruary 5, 2019,EU issued amendment directive (EU) 2019/174		
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC	 Expires on: 21 July 2021 for categories 1-7 and 10; 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and ontrol i nstruments; 21 July 2023 for category 8 in vitro diagnostic medical de vices; 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11. 	
▼B			
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more		
31	Lead in soldering materials in mercury free flat fluorescent lamps (which, e.g. are used for liquid crystal displays, design or industrial lighting)		
▼M51 Feb	pruary 5, 2019,EU issued amendment directive (EU) 2019/175		
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	Expires on: — 21 July 2021 for categories 1-7 and 10, — 21 July 2021 for categories 8 and 9 other than in vitro diag nostic medical devices and ind ustrial monitoring and control i	
s:			

Contact us:

different in a loss

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

And and teacher of the stadium of a different to a department of the second state of t



WALTE

IONGCAI TESTING

		nstruments, — 21 July 2023 for category 8 in vitro diagnostic medical de vices, — 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
▼B		
33	Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers	
▼M40 May	18, 2018,EU issued amendment directive (EU) 2018/738	
34	Lead in cermet-based trimmer potentiometer elements	Applies to all categories; expire s on: — 21 July 2021 for categories 1-7 and 10, — 21 July 2021 for categories 8 and 9 other than in vitro diag nostic medical devices and ind ustrial monitoring and control i nstruments, — 21 July 2023 for category 8 in vitro diagnostic medical de vices, — 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11.
▼B		
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display	Expired on 1 July 2010
▼M52 Feb	ruary 5, 2019,EU issued amendment directive (EU) 2019/176	
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	Expires on: — 21 July 2021 for categories 1-7 and 10; — 21 July 2021 for categories

Contact us:

different in a bran

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China



MALT

INGCAL TESTING

V B		 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; 21 July 2023 for category 8 in vitro diagnostic medical de vices; 21 July 2024 for category 9 industrial monitoring and cont rol instruments, and for catego ry 11. 	
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide		
▼M36 Octo	ober 31, 2017,EU issued amendment directive (EU) 2017/197	75	
39(a)	Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0,2 µg Cd per mm2 of display screen area)	Expires for all categories on 31 October 2019	
▼M2 Dece	mber 18, 2012,EU issued amendment directive 2012/51/EU		
40	Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment	Expires on 31 December 2013	
▼M62 Mar	ch 5, 2020,EU issued amendment directive (EU) 2020/365		
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council	 Applies to all categories and ex pires on: — 31 March 2022 for categorie s 1 to 7, 10 and 11; — 21 July 2021 for categories 8 and 9 other than in vitro dia gnostic medical devices and in dustrial monitoring and control instruments; — 21 July 2023 for category 8 in vitro diagnostic medical de vices; — 21 July 2024 for category 9 	

Contact us:

defilition and a state

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

And a standard to a statistic of a statistic of a statistic of the statist

WALT

UNGCAI TESTING

		industrial monitoring and cont rol instruments.			
▼M54 Fe	ebruary 5, 2019,EU issued amendment directive (EU) 2019/178	pruary 5, 2019,EU issued amendment directive (EU) 2019/178			
42	 Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: with engine total displacement ≥ 15 litres; or with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications. 	Applies to category 11, excluding applications covered by entry 6(c) of this Annex. Expires on 21 July 2024.			
▼M55 N	lovember 5, 2019,EU issued directive (EU) 2019/1845				
43	 Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed: (a) 30 % by weight of the rubber for(i) gasket coatings; (ii) solid-rubber gaskets; or (iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine. (b) 10 % by weight of the rubber for rubber-containing components not referred to in point (a). For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day. 	Applies to category 11 and expires on 21 July 2024.			
▼M56 N	ovember 5, 2019,EU issued directive (EU) 2019/1846				
44	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation	Applies to category 11 and expires on 21 July 2024.			

Contact us:

delifition and the second

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China



	(EU) 2016/1628 of the European Parliament and of the Council, installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users	
Amendme	nt directive (EU) 2021 / 647 issued on 20 April 2021	
45	Lead diazide, lead styphnate, lead dipicramate, orange lead (lead tetroxide), lead dioxide in electric and electronic initiators of explosives for civil (professional) use and barium chromate in long time pyrotechnic delay charges of electric initiators of explosives for civil (professional) use	Applies to category 11 and expires on 20 April 2026.

ANNEX IV

Applications exempted from the restriction in Article 4(1) specific to

medical devices and monitoring and control instruments

No	Exemption	Scope and dates of applicability			
Equipme	Equipment utilising or detecting ionising radiation :				
1	Lead, cadmium and mercury in detectors for ionising radiation.				
2	Lead bearings in X-ray tubes.				
3	Lead in electromagnetic radiation amplification devices: micro-channel plate and capillary plate.				
4	Lead in glass frit of X-ray tubes and image intensifiers and lead in glass frit binder for assembly of gas lasers and for vacuum tubes that convert electromagnetic radiation into electrons.				
5	Lead in shielding for ionising radiation.				
6	Lead in X-ray test objects.				
7	Lead stearate X-ray diffraction crystals.				
8	Radioactive cadmium isotope source for portable X-ray fluorescence spectrometers.				
Sensors,	detectors and electrodes :				

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

And and the article of the actual of the article of

TESTING

MALT

ONGCAI

1a	Lead and cadmium in ion selective electrodes including	
1b	glass of pH electrodes.	
	Lead anodes in electrochemical oxygen sensors.	
1c	Lead, cadmium and mercury in infra-red light detectors.	
1d	Mercury in reference electrodes: low chloride mercury chloride, mercury sulphate and mercury oxide.	
Others :	enonde, mereury supride and mereury oxide.	
9	Cadmium in helium-cadmium lasers.	
10	Lead and cadmium in atomic absorption spectroscopy lamps.	
11	Lead in alloys as a superconductor and thermal conductor in MRI.	
▼M11 Ja	nuary 9, 2014,EU issued amendment directive 2014/9/EU	
12	Lead and cadmium in metallic bonds creating superconducting magnetic circuits in MRI, SQUID, NMR (Nuclear Magnetic Resonance) or FTMS (Fourier Transform Mass Spectrometer) detectors.	Expires on 30 June 2021.
▼B		
13	Lead in counterweights.	
14	Lead in single crystal piezoelectric materials for ultrasonic transducers.	
15	Lead in solders for bonding to ultrasonic transducers.	
16	Mercury in very high accuracy capacitance and loss measurement bridges and in high frequency RF switches and relays in monitoring and control instruments not exceeding 20 mg of mercury per switch or relay.	
17	Lead in solders in portable emergency defibrillators.	
18	Lead in solders of high performance infrared imaging modules to detect in the range 8-14 μ m.	
19	Lead in Liquid crystal on silicon (LCoS) displays.	
20	Cadmium in X-ray measurement filters.	
▼M4 Jan	uary 9, 2014,EU issued amendment directive 2014/2/EU	
21	Cadmium in phosphor coatings in image intensifiers for	

Contact us:

different is a base

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

INGCAL TESTING



	X-ray images until 31 December 2019 and in spare parts for X-ray systems placed on the EU market before 1 January 2020.	
M5 Jan	uary 9, 2014,EU issued amendment directive 2014/3/EU	
22	Lead acetate marker for use in stereotactic head frames for use with CT and MRI and in positioning systems for gamma beam and particle therapy equipment.	Expires on 30 June 2021.
M3 Jan	uary 9, 2014,EU issued amendment directive 2014/1/EU	
23	Lead as an alloying element for bearings and wear surfaces in medical equipment exposed to ionising radiation.	Expires on 30 June 2021.
M6 Jan	uary 9, 2014,EU issued amendment directive 2014/4/EU	
24	Lead enabling vacuum tight connections between aluminium and steel in X-ray image intensifiers.	Expires on 31 December 2019.
M8 Jan	uary 9, 2014,EU issued amendment directive 2014/6/EU	
25	Lead in the surface coatings of pin connector systems requiring nonmagnetic connectors which are used durably at a temperature below – 20 °C under normal operating and storage conditions.	Expires on 30 June 2021.
▼M31 Ju	ne 25, 2016,EU issued amendment directive (EU) 2016/102	28
26	Lead in the following applications that are used durably at a temperature below – 20 °C under normal operating and storage conditions: (a) solders on printed circuit boards; (b) termination coatings of electrical and electronic components and coatings of printed circuit boards; (c) solders for connecting wires and cables; (d) solders connecting transducers and sensors. Lead in solders of electrical connections to temperature measurement sensors in devices which are designed to be used periodically at temperatures below – 150 °C.	Expires on 30 June 2021.
September	22, 2022, (EU) 2022/1632	
27	Lead in — solders, — termination coatings of electrical and electronic co mponents and printed circuit boards,	<mark>Expires on 30 June 2027.</mark>

Contact us:

defilition and a state

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

And and the strain of the standard of the stan

ONGCAI

TESTING

WALTE

31a	Lead, cadmium, hexavalent chromium, and	Expires on:
▼M30 Ap	pril 16, 2016,EU issued amendment directive (EU) 2016/585	;
30	Hexavalent chromium in alkali dispensers used to create photocathodes in X-ray image intensifiers until 31 December 2019 and in spare parts for X-ray systems placed on the EU market before 1 January 2020.	
▼M13 Ja	nuary 9, 2014,EU issued amendment directive 2014/11/EU	
29	probes and/or in cryo-cooled equipotential bonding systems, in medical devices (category 8) and/or in industrial monitoring and control instruments.	Expires on 30 June 2021.
	Lead in alloys, as a superconductor or thermal conductor, used in cryo-cooler cold heads and/or in cryo-cooled cold	
▼M12 Ja	nuary 9, 2014,EU issued amendment directive 2014/10/EU	
28	Lead in solders for mounting cadmium telluride and cadmium zinc telluride digital array detectors to printed circuit boards.	Expires on 31 December 2017.
▼M10 Ja	nuary 9, 2014,EU issued amendment directive 2014/8/EU	
	resonance imaging equipment, including patient monitors designed to be used within this sphere, or (b) magnetic fields within 1 m distance from the external surfaces of cyclotron magnets, magnets for beam transport and beam direction control applied for particle therapy. (c) MRI non-integrated coils, for which the Declaration of Conformity of this model is issued for the first time before 23 September 2022, or (d) MRI devices including integrated coils, which are used in magnetic fields within the sphere of 1 m radius around the isocentre of the magnet in medical magnetic resonance imaging equipment, for which the Declaration of Conformity is issued for the first time before 30 June 2024.	
	 connections of electrical wires, shields and enclose d connectors, which are used in (a) magnetic fields within the sphere of 1 m radius around the isocentre of the magnet in medical magnetic 	

Contact us:

different to a bran

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: <u>http://www.hct-test.com/</u> Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China

And and taken do a bill a data bill a data da a billion a da a billion



WALT

DNG

CAI	ES	

	polybrominated diphenyl ethers (PBDE) in spare parts recovered from and used for the repair or refurbishment of medical devices, including in vitro diagnostic medical devices, or electron microscopes and their accessories, provided that the reuse takes place in auditable closed-loop business-to-business return systems and that each reuse of parts is notified to the customer.	 (a) 21 July 2021 for the use in medical devices other than in vitro diagnostic medical devices; (b) 21 July 2023 for the use in in vitro diagnostic medical devices; (c) 21 July 2024 for the use in electron microscopes and their accessories. 			
▼M14 January 9, 2014,EU issued amendment directive 2014/12/EU					
32	Lead in solders on printed circuit boards of detectors and data acquisition units for Positron Emission Tomographs which are integrated into Magnetic Resonance Imaging equipment.	Expires on 31 December 2019.			
▼M15	January 9, 2014,EU issued amendment directive 2014/13/EU				
33	Lead in solders on populated printed circuit boards used in Directive 93/42/EEC class IIa and IIb mobile medical devices other than portable emergency defibrillators.	Expires on 30 June 2016 for class IIa and on 31 December 2020 for class IIb.			
▼M18	January 9, 2014,EU issued amendment directive 2014/16/EU				
34	Lead as an activator in the fluorescent powder of discharge lamps when used for extracorporeal photopheresis lamps containing BSP (BaSi2O5:Pb) phosphors.	Expires on 22 July 2021.			
▼M25	May 20, 2014,EU issued amendment directive 2014/75/EU				
35	Mercury in cold cathode fluorescent lamps for back-lighting liquid crystal displays, not exceeding 5 mg per lamp, used in industrial monitoring and control instruments placed on the market before 22 July 2017	Expires on 21 July 2024.			
▼M24	124 May 20, 2014,EU issued amendment directive 2014/74/EU				
36	Lead used in other than C-press compliant pin connector systems for industrial monitoring and control instruments.	Expires on 31 December 2020. May be used after that date in spare parts for industrial monitoring and control instruments placed on the market before 1 January 2021.			
▼M57	March 5, 2020, EU issued amendment directive (EU) 2020/36	<u>0</u>			
37	Lead in platinized platinum electrodes used for conductivity measurements where at least one of the following conditions applies: (a) wide-range measurements with a conductivity range	Expires on 31 December 2025.			

Contact us:

defilition and a state

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

WALTE

Michanlis	alite action Malita	li atadii nata	itelicantilications.	ato a Differente
IONG	CAI	TE	STI	NG

covering more than 1 order of magnitude between 0,1 mS/m and 5 mS/m) in laborato for unknown concentrations; (b) measurements of solutions where an ad 1 % of the sample range and where h resistance of the electrode are required f following:(i) solutions with an acidity < pH 1 (ii) solutions with an alkalinity > pH 13;	ry applications ccuracy of +/- high corrosion for any of the
1 % of the sample range and where h resistance of the electrode are required f following:(i) solutions with an acidity < pH 1	nigh corrosion for any of the
resistance of the electrode are required f following:(i) solutions with an acidity < pH 1	for any of the
following:(i) solutions with an acidity < pH 1	-
	L;
(ii) solutions with an alkalinity $> n \parallel 12$	
(ii) solutions with an alkalinity > ph 15,	
(iii) corrosive solutions containing halogen g	gas;
(c) measurements of conductivities above 2	100 mS/m that
must be performed with portable instrumer	nts.
M21 May 20, 2014,EU issued amendment directive	2014/71/EU
Lead in solder in one interface of large are	ea stacked die Expires on 31 December 2019. May be
elements with more than 500 interconnect	s per interface used after that date in spare parts for
which are used in X-ray detectors	of computed CT and X-ray systems placed on the
tomography and X-ray systems.	market before 1 January 2020.
M20 May 20, 2014,EU issued amendment directive	2014/70/EU
Lead in micro-channel plates (MCPs) used	in equipment
where at least one of the following properti	es is present:
(a) a compact size of the detector for elector	ctrons or ions,
where the space for the detector is limited	to a maximum
of 3 mm/MCP (detector thickness + space	for installation The exemption expires on the
of the MCP), a maximum of 6 mm in	total, and an following dates:
alternative design yielding more space for	the detector is (a)
scientifically and technically impracticable;	21 July 2021 for medical devices and
(b) a two-dimensional spatial resolution	for detecting monitoring and control instruments;
electrons or ions, where at least one of	the following (b)
applies:	21 July 2023 for in-vitro diagnostic
(i) a response time shorter than 25 ns;	medical devices;
(ii) a sample detection area larger than 149	mm ² ; (c)
(iii) a multiplication factor larger than 1,3 \times	10 ³ . 21 July 2024 for industrial monitoring
(c) a response time shorter than 5 ns	for detecting and control instruments.
electrons or ions;	
(d) a sample detection area larger than	314 mm ² for
detecting electrons or ions;	
(e) a multiplication factor larger than 4,0 \times	10 ⁷ .
M19 May 20, 2014,EU issued amendment directive	

Contact us:

Eddlift transition barts

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B, Tianji Industrial Park, Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong, China

TESTING



WALT

IONGCAI

		Expires on 31 December 2020. May be					
40	Lead in dielectric ceramic in capacitors for a rated voltage	used after that date in spare parts for					
	of less than 125 V AC or 250 V DC for industrial monitoring	industrial monitoring and control					
	and control instruments.	instruments placed on the market					
		before 1 January 2021.					
▼M61 M	▼M61 March 5, 2020,EU issued amendment directive (EU) 2020/366						
	Lead as a thermal stabiliser in polyvinyl chloride (PVC)						
	used as base material in amperometric, potentiometric	Expires on 31 March 2022.					
41	and conductometric electrochemical sensors which are						
	used in in-vitro diagnostic medical devices for the analysis						
	of blood and other body fluids and body gases.						
▼M28 Ap	oril 10, 2015,EU issued amendment directive (EU) 2015/574	1					
▼M63 Jun	e 2, 2021, (EU) 2021/884						
	Mercury in electric rotating connectors used in						
42	intravascular ultrasound imaging systems capable of high	Expires on 30 June 2026.					
	operating frequency (> 50 MHz) modes of operation.						
▼M32 Ju	ne 25, 2016,EU issued amendment directive (EU) 2016/102	<u>29</u>					
	Cadmium anodes in Hersch cells for oxygen sensors used						
43	in industrial monitoring and control instruments, where	Expires on 15 July 2023.					
	sensitivity below 10 ppm is required.						
▼M59 May	y 3, 2020, (EU) 2020/364						
	Cadmium in radiation tolerant video camera tubes						
	designed for cameras with a centre resolution greater than	Applies to category 9. Expires on 31 March 2027.					
44	450 TV lines which are used in environments with ionising						
	radiation exposure exceeding 100 Gy/hour and a total						
	dose in excess of 100kGy.						
Amendm	ent directive (EU) 2021 / 1980 issued on November 15, 202	21					
	Bis(2-ethylhexyl) phthalate (DEHP) in ion-selective						
	electrodes applied in point of care analysis of ionic						
45	substances present in human body fluids and/or in	Expires on 21 July 2028					
	dialysate fluids						
Amendm	ent directive (EU) 2021 / 1979 issued on November 15, 202	21					
46	Bis(2-ethylhexyl) phthalate (DEHP) in plastic components	F · · · · · · · · · · · · · · · · · · ·					
46	in MRI detector coils	Expires on 1 January 2024					
Amendment directive (EU) 2021 / 1978 issued on November 15, 2021							

Contact us:

defilition and a state

Shenzhen Hongcai testing technology co., LTD. (HCT)

Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China



47	Bis(2-ethylhexyl) phthalate (DEHP), butyl benzyl phthalate (BBP), dibutyl phthalate (DBP) and diisobutyl phthalate (DIBP) in spare parts recovered from and used for the repair or refurbishment of medical devices, including in vitro diagnostic medical devices, and their accessories, provided that the reuse takes place in auditable closed-loop business-to-business return systems and that	Expires on 21 July 2028		
	each reuse of parts is notified to the customer			
<u>September 22, 2022, (EU) 2022/1631</u>				
	Lead in bismuth strontium calcium copper oxide (BSCCO)			
<mark>48</mark>	superconductor cables and wires and lead in electrical	<mark>Expires on 30 June 2027.</mark>		
	connections to these wires.			

-----END------

Contact us:

Shenzhen Hongcai testing technology co., LTD. (HCT) Web: http://www.hct-test.com/ Hotline: 400-0066-989 T: (86) 755 8416666 Email: service@hct-test.com

Add: Building B,Tianji Industrial Park,Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community, Longgang Street, Longgang District, Shenzhen, Guangdong,China