
Consumer products

HCT-202611-05

EU POPs Annex I restricted substances list --(Updated on November 19 , 2026)

POPs is short for Persistant Organic Pollutants . The persistent organic pollutants are the natural or artificially synthesized organic pollutants that possess toxic properties, resist degradation, bioaccumulate and are transported, through air, water and migratory species, across international boundaries and deposited far from their place of release, where they accumulate in terrestrial and aquatic ecosystems.



November 2004, EU approved the STOCKHOLM CONVENTION ON PERSISTENT ORGANIC POLLUTANTS. From 20 May 2004, EU REGULATION (EC) No 850/2004 came into force,it bans the production, placing on the market and use of the listed substances.

25 June 2019, European Union published new regulation (EU) 2019/1021 on persistent organic pollutants (POPs), replaced previous (EC) No 850/2004. This new regulation was effective on 15 July 2019.

Annex I List of Restricted Substances

No.	SUBSTANCE	CAS No	EC No	SPECIFIC EXEMPTION ON INTERMEDIATE USE OR OTHER SPECIFICATION
1	Tetrabromodiphenyl ether $C_{12}H_6Br_4O$	40088-47-9 and others	254-787-2 and others	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of Tetrabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) where it is present in substances. 2. For the purposes of the entries on tetra-, penta-, hexa-, hepta- and decaBDE, point (b) of Article 4(1) shall apply to the following sum of the concentrations of those substances: (a) 10 mg/kg upon entry into force of this Regulation where

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				they are present in mixtures or articles, except for food contact materials subject to Regulation (EC) No 1935/2004; (b) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, **350 mg/kg** as of 30 December 2025 and **200 mg/kg** as of 30 December 2027 where they are present in mixtures or articles containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004; (c) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, **350 mg/kg** as of 30 December 2025 and **10 mg/kg** as of 17 May 2027, where they are present in toys subject to Directive 2009/48/EC, or in any product facilitating children ' s seating, sleep, relaxation, hygiene, changing and general body care, feeding, sucking, transportation and protection, containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004. 3. By way of derogation, the manufacturing, placing on the market and use of the following shall be allowed: electrical and electronic equipment within the scope of Directive 2011/65/EC of the European Parliament and of the Council . 4. Use of articles already in use in the Union before 25 August 2010 containing Tetrabromodiphenyl ether shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.
2	Pentabromodiphenyl ether $C_{12}H_5Br_5O$	32534-81-9 and others	251-084-2 and others	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of pentabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) where it is present in substances. 2. For the purposes of the entries on tetra-, penta-, hexa-, hepta- and decaBDE, point (b) of Article 4(1) shall apply to the following sum of the concentrations of those substances:

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				(a) 10 mg/kg upon entry into force of this Regulation where they are present in mixtures or articles, except for food contact materials subject to Regulation (EC) No 1935/2004; (b) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 200 mg/kg as of 30 December 2027 where they are present in mixtures or articles containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004; (c) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 10 mg/kg as of 17 May 2027, where they are present in toys subject to Directive 2009/48/EC, or in any product facilitating children ' s seating, sleep, relaxation, hygiene, changing and general body care, feeding, sucking, transportation and protection, containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004. 3. By way of derogation, the manufacturing, placing on the market and use of the following shall be allowed: electrical and electronic equipment within the scope of Directive 2011/65/EC. 4. Use of articles already in use in the Union before 25 August 2010 containing Pentabromodiphenyl ether shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.
3	Hexabromodiphenyl ether $C_{12}H_4Br_6O$	36483-60-0 and others	253-058-6 and others	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of hexabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) where it is present in substances. 2. For the purposes of the entries on tetra-, penta-, hexa-, hepta- and decaBDE, point (b) of Article 4(1) shall apply to the following sum of the concentrations of those substances:

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				(a) 10 mg/kg upon entry into force of this Regulation where they are present in mixtures or articles, except for food contact materials subject to Regulation (EC) No 1935/2004; (b) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 200 mg/kg as of 30 December 2027 where they are present in mixtures or articles containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004; (c) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 10 mg/kg as of 17 May 2027, where they are present in toys subject to Directive 2009/48/EC, or in any product facilitating children ' s seating, sleep, relaxation, hygiene, changing and general body care, feeding, sucking, transportation and protection, containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004. 3. By way of derogation, the manufacturing, placing on the market and use of the following shall be allowed: electrical and electronic equipment within the scope of Directive 2011/65/EC. 4. Use of articles already in use in the Union before 25 August 2010 containing Hexabromodiphenyl ether shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.
4	Heptabromodiphenyl ether $C_{12}H_3Br_7O$	68928-80-3 and others	273-031-2 and others	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of heptabromodiphenyl ether equal to or below 10 mg/kg (0,001 % by weight) where it is present in substances. 2. For the purposes of the entries on tetra-, penta-, hexa-, hepta- and decaBDE, point (b) of Article 4(1) shall apply to the following sum of the concentrations of those substances:

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				(a) 10 mg/kg upon entry into force of this Regulation where they are present in mixtures or articles, except for food contact materials subject to Regulation (EC) No 1935/2004; (b) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 200 mg/kg as of 30 December 2027 where they are present in mixtures or articles containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004; (c) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 10 mg/kg as of 17 May 2027, where they are present in toys subject to Directive 2009/48/EC, or in any product facilitating children ' s seating, sleep, relaxation, hygiene, changing and general body care, feeding, sucking, transportation and protection, containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004. 3. By way of derogation, the manufacturing, placing on the market and use of the following shall be allowed: electrical and electronic equipment within the scope of Directive 2011/65/EC. 4. Use of articles already in use in the Union before 25 August 2010 containing Heptabromodiphenyl ether shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles.
5	Bis(pentabromophenyl) ether (decabromodiphenyl ether; decaBDE)	1163-19-5	214-604-9	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of decaBDE equal to or below 10 mg/kg (0,001 % by weight) where it is present in substances. 2. For the purposes of the entries on tetra-, penta-, hexa-, hepta- and decaBDE, point (b) of Article 4(1) shall apply to the following sum of the concentrations of those substances:

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				(a) 10 mg/kg upon entry into force of this Regulation where they are present in mixtures or articles, except for food contact materials subject to Regulation (EC) No 1935/2004; (b) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 200 mg/kg as of 30 December 2027 where they are present in mixtures or articles containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004; (c) by way of derogation from point (a), 500 mg/kg upon entry into force of this Regulation, 350 mg/kg as of 30 December 2025 and 10 mg/kg as of 17 May 2027, where they are present in toys subject to Directive 2009/48/EC, or in any product facilitating children ' s seating, sleep, relaxation, hygiene, changing and general body care, feeding, sucking, transportation and protection, containing or made of recovered material containing tetra-, penta-, hexa-, hepta- or decaBDE, except for food contact materials subject to Regulation (EC) No 1935/2004. 3. By way of derogation, the manufacturing, placing on the market and use of decaBDE shall be allowed for the following purposes, provided that Member States report to the Commission by December 2019 in accordance with the Convention: (a) in the manufacturing of an aircraft, for which type approval has been applied for before 2 March 2019 and has been received before December 2022, until 18 December 2023, or, in cases where the continuing need is justified, until 2 March 2027; (b) in the manufacturing of spare parts for either of the following: (i) an aircraft, for which type approval has been applied for before 2 March 2019 and has been received before December 2022, produced before 18 December 2023, or, in cases where the continuing need is justified, produced

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

				before 2 March 2027, until the end of service life of that aircraft; (ii) motor vehicles within the scope of Directive 2007/46/EC of the European Parliament and of the Council, produced before 15 July 2019, either until 2036 or the end of service life of those motor vehicles, whichever date comes earlier; (c) electric and electronic equipment within the scope of Directive 2011/65/EC. 4. The specific exemptions for spare parts for use in motor vehicles referred to in point 2(b)(ii) shall apply for the manufacturing and use of commercial decaBDE falling into one or more of the following categories: (a) powertrain and under-hood applications such as battery mass wires, battery interconnection wires, mobile air condition (MAC) pipes, powertrains, exhaust manifold bushings, under-hood insulation, wiring and harness under-hood (engine wiling, etc.), speed sensors, hoses, fan modules and knock sensors; (b) fuel system applications such as fuel hoses, fuel tanks and fuel tanks under body; (c) pyrotechnical devices and applications affected by pyrotechnical devices such as airbag ignition cables, seat covers/fabrics, only if airbag relevant and airbags (front and side). 5. Use of articles already in use before 15 July 2019 in the Union containing decaBDE shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles. 6. Without prejudice to the application of other Union provisions on the classification, packaging and labelling of substances and mixtures, articles in which decaBDE is used shall be identifiable by labelling or other means throughout its life cycle. 7. The placing on the market and use of articles containing decaBDE imported for the purposes of the specific

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

				exemptions in point 2 shall be allowed until the expiry of those exemptions. Point 6 shall apply as if such articles were produced pursuant to the exemption in point 2. Such articles already in use by the date of expiry of the relevant exemption may continue to be used. 8. For the purposes of this entry ' aircraft ' means the following: (a) a civil aircraft produced in accordance with a type certificate issued under Regulation (EC) No 216/2008 of the European Parliament and of the Council (3) or with a design approval issued under the national regulations of a contracting state of ICAO, or for which a certificate of airworthiness has been issued by an ICAO Contracting State under Annex 8 to the Convention on International Civil Aviation; (b) a military aircraft.
6	Hexabromocyclododecane 'Hexabromocyclododecane' means: hexabromocyclododecane, 1,2,5,6,9,10-hexabromocyclododecane and its main diastereoisomers: alpha-hexabromocyclododecane; beta-hexabromocyclododecane; and gamma-hexabromocyclododecane	25637-99-4, 3194-55-6, 134237-50-6, 134237-51-7, 134237-52-8	247-148-4, 221-695-9	1. For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of hexabromocyclododecane equal to or below 75 mg/kg (0,0075 % by weight) where it is present in substances, mixtures, articles or as constituents of the flame-retarded articles. For the use of recycled polystyrene in the production of EPS and XPS insulation material for use in buildings or civil engineering works, that point (b) shall apply to concentrations of hexabromocyclododecane equal to or below 100 mg/kg (0,01 % by weight). The exemptions laid down in this point (1) shall be reviewed and assessed by the Commission by 1 January 2026. 2. Expanded polystyrene articles containing hexabromocyclododecane already in use in buildings before 21 February 2018 in accordance with Commission Regulation (EU) 2016/293 (5) and Commission Implementing Decision No 2016/C 12/06 (6), and extruded polystyrene articles containing hexabromocyclododecane already in use in buildings before 23 June 2016 may continue to be used. Article 4(2), third and fourth

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				subparagraphs shall apply to such articles. 3. Without prejudice to the application of other Union provisions on the classification, packaging and labelling of substances and mixtures, expanded polystyrene placed on the market after 23 March 2016 in which hexabromocyclododecane was used shall be identifiable by labelling or other means throughout its life cycle.
7	Hexabromobiphenyl	36355-01-8	252-994-2	/
8	Toxaphene	8001-35-2	232-283-3	/
9	Mirex	2385-85-5	219-196-6	/
10	Aldrin	309-00-2	206-215-8	/
11	Heptachlor	76-44-8	200-962-3	/
12	Dieldrin	60-57-1	200-484-5	/
13	Endrin	72-20-8	200-775-7	/
14	DDT (1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane)	50-29-3	200-024-3	/
15	Chlordane	57-74-9	200-349-0	/
16	Hexachlorocyclohexanes, including lindane	58-89-9 ; 319-84-6 ; 319-85-7 ; 608-73-1	200-401-2; 206-270-8; 206-271-3; 210-168-9	/
17	Chlordecone	143-50-0	205-601-3	/
18	Endosulfan	115-29-7 959-98-8 33213-65-9	204-079-4	1. Placing on the market and use of articles already in use before or on 10 July 2012 containing endosulfan shall be allowed. 2. Article 4(2), third and fourth subparagraphs shall apply to articles referred to in point 1.
19	Dicofol	115-32-2	204-082-0	None
20	Polychlorinated Biphenyls (PCB)	1336-36-3 and others	215-648-1 and others	Without prejudice to Directive 96/59/EC, articles already in use at the time of the entry into force of this Regulation are allowed to be used. Member States shall identify and remove from use equipment (e.g. transformers, capacitors or other receptacles containing

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				liquid stocks) containing more than 0,005 % PCBs and volumes greater than 0,05 dm^3, as soon as possible but no later than 31 December 2025.
21	Hexachlorobenzene	118-74-1	204-273-9	For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of hexachlorobenzene equal to or below 10 mg/kg (0,001 % by weight) where it is present in substances, mixtures or articles.
22	Pentachlorobenzene	608-93-5	210-172-0	/
23	Hexachlorobutadiene	87-68-3	201-765-5	1. Placing on the market and use of articles already in use before or on 10 July 2012 containing hexachlorobutadiene shall be allowed. 2. Article 4(2), third and fourth subparagraphs shall apply to articles referred to in point 1.
24	Polychlorinated naphthalenes	70776-03-3 and others	274-864-4 and others	1. Placing on the market and use of articles already in use before or on 10 July 2012 containing polychlorinated naphthalenes shall be allowed. 2. Article 4(2), third and fourth subparagraphs shall apply to articles referred to in point 1.
25	Pentachlorophenol and its salts and esters	87-86-5 and others	201-778-6 and others	For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of pentachlorophenol and its salts and esters equal to or below 5 mg/kg (0,0005 % by weight) where they are present in substances, mixtures or articles.
26	Alkanes C_{10}-C_{13}, chloro (short-chain chlorinated paraffins) (SCCPs	85535-84-8 and others	287-476-5	1. By way of derogation, the manufacturing, placing on the market and use of substances or mixtures containing SCCPs in concentrations lower than 1 % by weight or articles containing SCCPs in concentrations lower than 0,15 % by weight shall be allowed. 2. Use shall be allowed in respect of: (a) conveyor belts in the mining industry and dam sealants containing SCCPs already in use before or on 4 December 2015; and (b) articles containing SCCPs other than those referred to in point (a) already in use before or on 10 July 2012. 3. The third and fourth subparagraphs of Article 4(2) shall apply to the articles referred to in point 2.

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

27	Perfluorooctane sulfonic acid (PFOS), its salts and PFOS-related compounds $C_8F_{17}SO_2X$ (X = OH, Metal salt (O-M+), halide, amide, and other related compounds including polymers)	1763-23-1 2795-39-3 29457-72-5 29081-56-9 70225-14-8 56773-42-3 251099-16-8 4151-50-2 31506-32-8 1691-99-2 24448-09-7 307-35-7 and others	217-179-8 220-527-1 249-644-6 249-415-0 274-460-8 260-375-3 223-980-3 250-665-8 216-887-4 246-262-1 206-200-6 and others	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of PFOS or any of its salts equal to or below 0,025 mg/kg (0,0000025 % by weight) where they are present in substances, mixtures or in articles. 2. For the purposes of this entry, Article 4(1), point (b), shall apply to the sum of concentrations of all PFOS-related compounds equal to or below 1 mg/kg (0,0001 % by weight) where they are present in substances, mixtures or articles. 3. Use of articles already in use in the Union before 25 August2010 containing PFOS shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles. 4. Deleted. 5. Deleted.
28	Perfluorooctanoic acid (PFOA), its salts and PFOA-related compounds	335-67-1 and others	206-397-9 and others	1. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of PFOA or any of its salts equal to or below 0,025 mg/kg (0,0000025 % by weight) where they are present in substances, mixtures or articles. 2. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of any individual PFOA-related compound or a combination of PFOA-related compounds equal to or below 1 mg/kg (0,0001 % by weight) where they are present in substances, mixtures or articles. 3. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of PFOA-related compounds equal to or below 20 mg/kg (0,002 % by weight) where they are present in a substance to be used as a transported isolated intermediate within the meaning of Article 3 point 15(c) of Regulation (EC) No 1907/2006 and fulfilling the strictly controlled conditions set out in Article 18(4)(a) to (f) of that Regulation for the production of fluorochemicals with a carbon chain equal to or shorter than 6 atoms. 4. For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of PFOA and its salts equal to or below 1 mg/kg (0,0001 % by weight) where they are present in polytetrafluoroethylene (PTFE) micropowders produced

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				by ionising irradiation or by thermal degradation as well as in mixtures and articles for industrial and professional uses containing PTFE micropowders until 18 August 2023. All emissions of PFOA during the manufacture and use of PTFE micropowders shall be avoided and, if not possible, reduced as far as possible. The limit of 1 mg/kg (0,0001 % by weight) shall apply only to manufacture, placing on the market and use of PFOA and its salts where they are present in PTFE micropowders that are transported or treated for the purpose to reduce the concentration of PFOA and its salts below the limit of 0,025 mg/kg (0,0000025 % by weight). 4a. For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of PFOA or any of its salts equal to or below 1 mg/kg (0,0001 % by weight) and to concentrations of any individual PFOA-related compound or combination of PFOA-related compounds equal to or below 10 mg/kg (0,001 % by weight) where they are present in fire-fighting foam for liquid fuel vapour suppression and liquid fuel fire (Class B fires) already installed in systems. This limit value shall apply until 3 August 2028; 4b. For the purposes of this entry, Article 4(1), point (b), shall apply to the sum of the concentration of PFOA, its salts and PFOA-related compounds equal to or below 10 mg/kg (0,001 % by weight) where they are present in fluorine-free fire-fighting foam and originate from fire-fighting equipment which has undergone cleaning in accordance with the best available techniques. 5. By way of derogation, the manufacturing, placing on the market and use of PFOA, its salts and PFOA-related compounds shall be allowed for the following purposes: (a) photolithography or etch processes in semiconductor manufacturing, until 4 July 2025; (b) photographic coatings applied to films, until 4 July 2025; (c) textiles for oil- and water-repellency for the protection of workers from dangerous liquids that comprise risks to

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				their health and safety, until 4 July 2023; (d) invasive and implantable medical devices, until 4 July 2025; 6. By way of derogation, the use of PFOA, its salts and PFOA-related compounds shall be allowed in fire-fighting foam for liquid fuel vapour suppression and liquid fuel fire (Class B fires) already installed in systems, including both mobile and fixed systems, until 3 December 2025, subject to the following conditions: (a) fire-fighting foam that contains or may contain PFOA, its salts and/or PFOA-related compounds shall not be used for training; (b) fire-fighting foam that contains or may contain PFOA, its salts and/or PFOA-related compounds shall not be used for testing unless all releases are contained; (c) as from 1 January 2023, uses of fire-fighting foam that contains or may contain PFOA, its salts and/or PFOA-related compounds shall only be allowed in sites where all releases can be contained; (d) fire-fighting foam stockpiles that contain or may contain PFOA, its salts and/or PFOA-related compounds shall be managed in accordance with Article 5. "firefighting foam" means any mixture to fight fires with foam and includes but is not limited to firefighting foam concentrates and firefighting foam solutions to produce the foam. 7. By way of derogation, the use of perfluorooctyl bromide containing perfluoroctyl iodide for the purpose of producing pharmaceutical products shall be allowed, subject to review and assessment by the Commission by 31 December 2026, every four years thereafter and by 31 December 2036. 8. Use of articles already in use in the Union before 4 July 2020 containing PFOA, its salts and/or PFOA-related compounds shall be allowed. Article 4(2), third and fourth subparagraphs shall apply in relation to such articles. 9. By way of derogation, the use of PFOA, its salts and/or

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

				PFOA-related compounds shall be allowed until 3 December 2020 in the following articles: (a) medical devices other than implantable ones, within the scope of Regulation (EU) 2017/745 ; (b) latex printing inks; (c) plasma nano-coatings. 10. For the purposes of this entry, point (b) of Article 4(1) shall apply to concentrations of PFOA and its salts and/or PFOA-related compounds equal to or below 2 mg/kg (0,0002 % by weight) where they are present in medical devices other than invasive devices and implantable devices. 11. Articles containing PFOA, its salts or PFOA-related compounds already in use in the Union before or on the date of expiry of the relevant exemption laid down in points 5(a) to (d) may continue to be used.
29	Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds "Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds" means the following: (i) perfluorohexane sulfonic acid, including any of its branched isomers; (ii) its salts; (iii) PFHxS-related compounds	355-46-4 and others	206-587-1 and others	1. For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of PFHxS or any of its salts equal to or below 0,025 mg/kg (0,0000025 % by weight) where they are present in substances, mixtures or articles. 2. For the purposes of this entry, Article 4(1), point (b), shall apply to the sum of concentrations of all PFHxS-related compounds equal to or below 1 mg/kg (0,0001 % by weight) where they are present in substances, mixtures or articles. 3. For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of PFHxS, its salts and PFHxS-related compounds equal to or below 0,1 mg/kg (0,00001 % by weight) where it is present in concentrated firefighting foam mixtures that are to be used or are used in the production of other firefighting foam mixtures. This exemption shall be reviewed and assessed by the Commission no later than 28 August 2026.'

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

	which, for the purposes of the Convention, are any substance that contains the chemical moiety $C_6F_{13}S$- as one of its structural elements and that degrades to PFHxS.			
30	Methoxychlor 'Methoxychlor' refers to any possible isomer of dimethoxydiphenyl trichloroethane or any combination thereof.	72-43-5 30667-99-3 76733-77-2 255065-25-9 255065-26-0 59424-81-6 1348358-72-4 and others	200-779-9	For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of methoxychlor equal to or below 0,01 mg/kg (0,000001 % by weight) where they are present in substances, mixtures or articles.
31	2-(2H-benzotriazol-2-yl)-4,6-Ditertpentylphenol (UV-328)	25973-55-1	247-384-8	1. For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of UV-328 equal to or below: (a) 100 mg/kg (0,01 % by weight) from 4 August 2025; (b) 10 mg/kg (0,001 % by weight) from 4 August 2027; (c) 1 mg/kg (0,0001 % by weight) from 4 August 2029; where they are present in substances, mixtures or articles. 2. By way of derogation, the placing on the market of UV-328 present in articles and the use of such articles shall be allowed for the following purposes: (a) in land-based motor vehicles, until 4 August 2030; (b) in industrial coating for land-based motor vehicles, engineering machines, rail transportation vehicles, and in heavy-duty coatings for large steel structures, until 4 August 2030;

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				(c) in mechanical separators in blood collection tubes, until 4 August 2030; (d) in triacetyl cellulose film in polarisers, until 4 August 2030; (e) in photographic paper, until 4 August 2030; (f) in civilian and military aircrafts, until 4 August 2030; (g) in spare parts for any of the following: (i) land-based motor vehicles; (ii) stationary industrial machines for use in agriculture, forestry and construction; (iii) liquid crystal displays in instruments for analysis, measurements, control, monitoring, testing, production and inspection, other than for medical applications; where UV-328 was initially used in their production, until the end of their service life or 31 December 2043, whichever comes earlier; (h) in spare parts for any of the following: (i) liquid crystal displays in devices within the scope of Regulation (EU) 2017/745, and within the scope of Regulation (EU) 2017/746 of the European Parliament and of the Council; (ii) liquid crystal displays in instruments for analysis, measurements, control, testing, production and inspection; where UV-328 was initially used in their production, until the end of their service life; (i) in spare parts for civilian and military aircrafts where UV-328 was initially used in their production, until 31 December 2030. 3. Articles containing UV-328 already in use in the Union before or on the date of expiry of the relevant exemption laid down in point 2(a) to (i) may continue to be used.
32	'Dechlorane Plus "Dechlorane Plus" includes its syn-isomer and anti-isomer	13560-89-9 135821-03-3 135821-74-	236-948-9	1.For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of Dechlorane Plus: (a) equal to or below 1 000 mg/kg (0,1 % by weight) where they are present in substances, mixtures or articles until 15 April 2028; (b) equal to or below 1 mg/kg (0,0001 % by weight) where they

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

		8		are present in substances, mixtures or articles after 15 April 2028. 2.By way of derogation, the placing on the market and use of Dechlorane Plus shall be allowed for the following purposes: (a) aerospace, space and defence applications, until 26 February 2030; (b) medical imaging applications, until 26 February 2030; (c) radiotherapy devices and installations, until 26 February 2030; (d) spare parts for, and the repair of, any of the following: (i) land-based motor vehicles; (ii) stationary industrial machines for use in agriculture, forestry and construction; (iii) marine, garden, forestry and outdoor power equipment other than that covered under (ii); (iv) aerospace, space and defence applications; (v) instruments for analysis, measurements, control, monitoring, testing, production and inspection; where Dechlorane Plus was initially used in their production, until the end of their service life or until 31 December 2043, whichever comes earlier: (e) spare parts for, and the repair of, any of the following: (i) medical devices and accessories for medical devices within the scope of Regulation (EU) 2017/745; (ii) in vitro diagnostic medical devices and accessories for in vitro diagnostic medical devices within the scope of Regulation (EU) 2017/746; where Dechlorane Plus was initially used in their production, until the end of their service life. 3. The Commission shall assess the need for a prolongation of the specific exemptions in points (a), (b) and (c) of paragraph 2 at the latest by 1 April 2028. 4. Articles containing Dechlorane Plus already in use in the Union before or on the date of expiry of the relevant exemption

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				laid down in paragraph 2(a) to (d) may continue to be used. 5. Placing on the market and use of spare parts containing Dechlorane Plus referred to in paragraph 2, point (d)(iv) that are present in the territory of the Union before or on 31 December 2043 shall be allowed.'
33	Chlorpyrifos	2921-88-2	220-864-4	For the purposes of this entry, Article 4(1), point (b), shall apply to concentrations of chlorpyrifos equal to or below 0,01 mg/kg (0,000001 % by weight) where they are present in substances, mixtures or articles.
34	Long chain perfluorocarboxylic acids (C_9-C_{21} PFCAs), their salts and related compounds "Long chain perfluorocarboxylic acids (C_9-C_{21} PFCAs), their salts and related compounds" means the following: (i) linear and branched perfluorocarboxylic acids of the formula CnF2n+1COOH where 8 ≤ n ≤ 20 (C_9-C_{21} PFCAs); (ii) their salts	[1] 375-95-1, [2] 335-76-2, [3] 2058-94-8, [4] 307-55-1, [5] 72629-94-8, [6] 376-06-7, [7] 141074-63-7, [8] 67905-19-5, [9] 57475-95-3, [10] 16517-11-6,	[1] 206-801-3, [2] 206-400-3, [3] 218-165-4, [4] 206-203-2, [5] 276-745-2, [6] 206-803-4, [7] - [8] 267-638-1, [9] - [10] 240-582-5, [11] - [12] 269-701-9, and others	1.For the purposes of this entry, Article 4(1), point (b), shall apply to the sum of concentrations of C_9-C_{21} PFCAs and their salts equal to or below 0,025 mg/kg (0,0000025% by weight) where they are present in substances, mixtures or articles. 2. For the purposes of this entry, Article 4(1), point (b), shall apply to the sum of concentrations of C_9-C_{21} PFCAs related compounds equal to or below 0,26 mg/kg (0,000026% by weight) where they are present in substances, mixtures or articles. 3. By way of derogation from points 1 and 2, for the purposes of this entry,Article 4(1), point (b), shall apply to the sum of concentrations of C_9-C_{21} PFCAs, their salts and related compounds, equal to or below 10 mg/kg (0,001% by weight) where they are present in a substance to be used as a transported isolated intermediate within the meaning of Article 3,point 15(c), of Regulation(EC) No1907/2006 and fulfilling the strictly controlled conditions set out in Article 18(4), first subparagraph, points (a) to(f), of that Regulation for the production of fluorochemicals with a perfluoro carbon chain equal to or shorter than 6 atoms. 4. By way of derogation from point 1, for the purpose of this entry, Article 4(1), point (b) shall apply to - the sum of concentrations of C_9-C_{14} PFCAs equal to or below 0,1 mg/kg (0,00001% by weight) where they are present in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups,

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

	(iii) compounds related to C_9-C_{21} PFCAs, which are any substances that have the potential to degrade or to be transformed to C_9-C_{21} PFCAs, including any substances that contain the perfluorinated alkyl moiety C_nF_{2n+1} (where $8 \leq n \leq 20$) as one of the structural elements. The following compounds are not included as compounds related to C_9-C_{21} PFCAs: $C_nF_{2n+1}X$, where X = F, Cl or Br: PFOA-related compounds covered by the entry for 'Perfluorooctanoic	[11] 133921-38-7, [12] 68310-12-3, and others		until 16 December 2030; - the sum of concentration of C_{15}-C_{21} PFCAs equal to or below 15 mg/kg (0,0015% by weight) where they are present in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups, until 16 December 2030; - the sum of concentration of C_9-C_{21} PFCAs equal to or below 0,1 mg/kg (0,00001% by weight) where they are present in fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups, from 17 December 2030. All emissions of C_9-C_{21} PFCAs that are unintentionally formed during the production and use of fluoroplastics and fluoroelastomers that contain perfluoroalkoxy groups shall be avoided and, if not possible, reduced as far as technically and practically possible. 5. By way of derogation from point 1, for the purpose of this entry, Article 4(1), point (b), shall apply to - the sum of concentrations of C_9-C_{14} PFCAs and their salts equal to or below 1 mg/kg (0,0001% by weight) where they are present in polytetrafluoroethylene (PTFE) micropowders produced by ionising irradiation or by thermal degradation as well as in mixtures and articles for industrial and professional use containing PTFE micropowders, until 16 December 2030; - the sum of concentrations of C_{15}-C_{21} PFCAs and their salts equal to or below 15 mg/kg (0,0015 % by weight) where they are present in PTFE micropowders produced by ionising irradiation or by thermal degradation as well as in mixtures and articles for industrial and professional use containing PTFE micropowders, until 16 December 2030; - the sum of concentrations of C_9-C_{21} PFCAs and their salts equal to or below 1 mg/kg (0,0001% by weight) where they are present in PTFE micropowders produced by ionising irradiation or by thermal degradation as well as in mixtures and articles for industrial and professional use containing PTFE micropowders, from 17 December 2030. All emissions of C_9-C_{21} PFCAs that are unintentionally formed during the production and use of PTFE

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

	acid (PFOA), its salts and PFOA related compounds' in this Annex.			micropowders shall be avoided and, if not possible, reduced as far as technically and practically possible. 6. By way of derogation from points 1 and 2, for the purpose of this entry, Article 4(1), point (b), shall apply to the sum of concentrations of C_9-C_{21} PFCAs or any of their salts equal to or below 1 mg/kg (0,0001% by weight) and to concentrations of any individual C_9-C_{21} PFCAs-related compounds or combination of C_9-C_{21} PFCAs-related compounds equal to or below 10 mg/kg (0,001 by weight), where they are present in fire fighting foam for liquid fuel vapour suppression and liquid fuel fire (Class B fires) already installed in systems. Those limit values shall apply until 3 August 2028. 7. By way of derogation from points 1 and 2, for the purpose of this entry, Article 4(1), point (b), shall apply to the sum of the concentration of C_9-C_{21} PFCAs, their salts and C_9- C_{21} PFCAs-related compounds equal to or below 10 mg/kg (0,001 % by weight) where they are present in fluorine-free fire fighting foam and originate from fire-fighting equipment which has undergone cleaning in accordance with the best available techniques. 8. The placing on the market and use of C_9-C_{14} PFCAs, their salts and related compounds shall be allowed until 30 December 2030 in semiconductors used in spare parts for, and the repair of, electronic equipment placed on the market before 31 December 2023. 9. The placing on the market and use of C_{15}-C_{21} PFCAs, their salts and related compounds shall be allowed in semiconductors used in spare parts, where C_{15}-C_{21} PFCAs, their salts and related compounds were initially used in the semiconductor to be replaced or repaired by the spare part, until 16 December 2031.10. Articles containing C_9- C_{14} PFCAs, their salts and related compounds, already in use in the Union before 31 December 2023, may continue to be used. 11. Articles containing C_{15}- C_{21} PFCAs, their salts and related

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				compounds, already in use in the Union before 17 December 2026, may continue to be used.
35	'Medium-chain chlorinated paraffins (MCCPs) "Medium-chain chlorinated paraffins" or "MCCPs" means the following: Substances or mixtures that contain any of the following linear C14-C17 chloroalkanes of the following molecular formulae: $C_{14}H_{(30-y)}Cl_y$, where y ≥ 5; $C_{15}H_{(32-y)}Cl_y$, where y ≥ 5; $C_{16}H_{(34-y)}Cl_y$, where y ≥6; $C_{17}H_{(36-y)}Cl_y$, where y ≥ 6;	[1] 85535-85-9 [2] 198840-65-2 [3] 1372804-76-6 and others	[1] 287-477-0 [2] - [3] - and others	1. For the purposes of this entry, Article 4(1),point (b), shall apply to the sum of concentrations of the linear C_{14} - C_{17}chloroalkanes of the following molecular formulae: $C_{14}H_{(30-y)}Cl_y$, where y ≥ 5; $C_{15}H_{(32-y)}Cl_y$, where y ≥ 5; $C_{16}H_{(34-y)}Cl_y$, where y ≥6; $C_{17}H_{(36-y)}Cl_y$, where y ≥ 6; equal to or below 1 000 mg/kg (0,1 % by weight) where they are present in substances, mixtures or articles. 2. By way of derogation from point 1, for the purposes of this entry, Article 4(1), point(b), shall apply to the sum of concentrations of the linear C_{14} - C_{17}chloroalkanes of the following molecular formulae: $C_{14}H_{(30-y)}Cl_y$, where y ≥ 5; $C_{15}H_{(32-y)}Cl_y$, where y ≥ 5; $C_{16}H_{(34-y)}Cl_y$, where y ≥6; $C_{17}H_{(36-y)}Cl_y$, where y ≥ 6; equal to or below 20 000 mg/kg (2 % by weight) where: — they are present in recovered material from cable recycling or in articles produced with such material, and — the material or articles in which they are present are used in road furniture or in blocks to support fences.This limit value shall apply until16 December 2028. 3. By way of derogation, the manufacturing,placing on the market and use of MCCPs shall be allowed for the following purposes: (a) extreme pressure additive in metalworking fluids which are used in professional or industrial settings in "heavy-duty" metal working operations and for which collection systems are in place, until31 December 2036 b) polymers and rubbers which are used in spare parts for, and in the repair of,any of the following:

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				(i) land-based motor vehicles; (ii) machinery used in agriculture;construction, forestry or landscaping, including gardening; (iii) electric and electronic equipment for medical devices and accessories for medical devices within the scope of Regulation (EU) 2017/745; (iv) electric and electronic equipment for in vitro diagnostic medical devices and accessories for in vitro diagnostic medical devices within the scope of Regulation(EU) 2017/746; (v) instruments for measurement,analysis, manufacturing,control, monitoring, testing and inspection; (vi) aerospace and defence applications;where MCCPs were initially used in their production, until the end of their service life or until31 December 2041, whichever comes earlier; (c) flexible polyvinyl chloride in: (i) wires and cables in the construction sector, until16 December 2028; (ii) wires and cables in medical devices and accessories for medical devices within the scope of Regulation(EU) 2017/745 and in vitro diagnostic medical devices and accessories for in vitro diagnostic medical devices within the scope of Regulation(EU) 2017/746, until16 December 2031; (d) adhesives and sealants, limited to the following: (i) polysulfide sealant and one-component polyurethane foam used in sealing for doors and windows, until 16 December2028; (ii) one-component polyurethane foam, containing or made of recovered material containing MCCPs, used in sealing for doors and windows, provided that the foam can is labelled to indicate the presence of recovered material, until16 December 2031; (iii) waterproof coatings and anti-corrosion coatings, until16 December 2028; (iv) aerospace and defence applications, until16 December 2031;

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

				(e) tape used for non-structural bonding for aerospace and defence applications, until 16 December2031; (f) paints and coatings for ammunition and ammunition markings, until16 December 2031; (g) ammunition pyrotechnic defence devices to achieve specific effects,until 31 December 2041; (h) intumescent coating and paint for space and defence equipment and its packaging to protect against extreme temperature, until 31 December2041; (i) coating and paint for the repair of,and use in replacement spare parts for, space and defence equipment where MCCPs were initially used in the production of that equipment,until the end of service life of the equipment. 4. Releases of MCCPs to the environment shall be avoided during manufacture and industrial and professional use of MCCPs covered by an exemption set out in point 3and, if not possible, reduced to as low a level as possible. Exposure to workers shall be minimised in accordance with Article 6of Council Directive 98/24/EC (*). 5. Articles containing MCCPs already in use in the Union before or on the date of expiry of the relevant exemption laid down in paragraph 3(b) to (h) may continue to be used. 6. Placing on the market and use of spare parts containing MCCPs referred to in paragraph 3, point (b) that are present in the territory of the Union before 1 January2042 shall be allowed. 7. Manufacturers, suppliers and importers of chlorinated paraffins placing on the market substances or mixtures containing chloroalkanes referred to in point 1 shall provide, in the Safety Data Sheet referred to in Article 31 of Regulation(EC) No 1907/2006, information on: (a) the sum of the concentrations of the chloroalkanes listed in paragraph 1, if present; (b) when the sum referred to in point (a)is above 0,1 % w/w,

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China

				the appropriate risk management measures and operating conditions to minimise the releases and exposure. 8. Manufacturers, suppliers and importers of chlorinated paraffins shall determine the sum referred to in point 7(a) using representative batches of chlorinated paraffins manufactured in accordance with the same technical specifications by the same manufacturer. The level shall be determined using validated analytical methods. A description of the analytical methods used, and the results obtained to derive the sum referred to in point 7(a)shall be provided to the competent authorities upon their request.

Statement: This publication is only educational and does not replace any legal requirements or applicable rules. Information included in the publication will not be revised. HCT does not guarantee that the content contained in the publication without any errors or will meet any particular performance or quality standards. If there is no consent of HCT in advance, please do not quote or refer any information contained in this publication.

Web: www.hct-test.com
Hotline: 400-0066-989
E-mail: hongcai@hct-test.com
Add: Building B,Tianji Industrial Park,
Floor 1&2&3 No.30-9 Laiyin Road, Xinsheng Community,
Longgang Street, Longgang District, Shenzhen, Guangdong,China